

Product name:Omega 33Page:1/10Supersedes date:2016-02-22Last revised date:2019-08-16

Product No.: SDS-ID: GB-EN/7.0

SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1. Product identifier

Product name: Omega 33
Container size: 5 kg, 15 kg

1.2. Relevant identified uses of the substance or mixture and uses advised against

Application: High temperature grease.

1.3. Details of the supplier of the safety data sheet

Supplier: EU importer:

.

 $\underline{\text{Manufacturer:}} \hspace{1.5cm} \Omega \text{mega Manufacturing Division}$

13th floor, Unit B, PAX Tower, 609 Eonju-ro, Gangnam-Gu, Seoul, Korea 06108 (The Omega Trade Mark is the property of ITW Inc. and is used under license by

ITW PP & F Korea Limited)

1.4. Emergency telephone number

Emergency telephone: NHS: 111

SECTION 2: HAZARDS IDENTIFICATION

2.1. Classification of the substance or mixture

CLP: The product is not classified.

2.2. Label elements

The substance/mixture does not meet the criteria for classification, but the

following labelling must be applied:

<u>Contains:</u> Calcium bis(dinonylnaphthalenesulphonate). May produce an allergic reaction.

EUH210 Safety data sheet available on request.

2.3. Other hazards

<u>PBT/vPvB:</u> This product does not contain any PBT or vPvB substances.

Other: Prolonged or repeated contact with skin may cause redness, itching, irritation,

eczema, skin cracking and oil acne. The harmful effects may increase in used

grease. Greases are generally hazardous to the environment.

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

3.2. Mixtures

All substances in the product are either registrered or exempt from registration under REACH. Only classified substances above threshold limits or substances with an exposure limit are shown.

 Product name:
 Omega 33
 Page:
 2/10

 Supersedes date:
 2016-02-22
 Last revised date:
 2019-08-16

 Product No.:
 SDS-ID:
 GB-EN/7.0

CLP:

REACH Reg. No: Chemical name: CAS-No.: EC No.: Hazard classification: %: Notes: 10-30 1333-86-4 215-609-9 Carbon black 1-5 1317-33-5 215-263-9 Molybdenum disulphide 0,1-<1 15890-25-2 240-028-2 Aquatic Chronic 2;H411 (dipentyldithiocarbamato-S,S')antimony 0,1-<1 57855-77-3 260-991-2 Calcium bis Eye Irrit. 2;H319 (dinonylnaphthalenesulphon Skin Irrit. 2;H315

Notes: #: The substance has been assigned an exposure limit.

SECTION 4: FIRST AID MEASURES

4.1. Description of first aid measures

Inhalation: Move into fresh air and keep at rest. In case of persistent throat irritation or

coughing: Seek medical attention and bring these instructions.

Skin contact: Remove contaminated clothing immediately and wash skin with soap and water.

In case of rashes, wounds or other skin disorders: Seek medical attention and

Skin Sens. 1;H317

bring along these instructions.

Eye contact: Immediately flush with plenty of water for at least 15 minutes. Remove any

contact lenses and open eyelids widely. If irritation persists: Seek medical

attention and bring along these instructions.

<u>Ingestion:</u> Immediately rinse mouth and drink plenty of water. Keep person under

observation. If person becomes uncomfortable seek hospital and bring these

instructions.

4.2. Most important symptoms and effects, both acute and delayed

4.3. Indication of any immediate medical attention and special treatment needed

Medical attention/treatments: Treat symptomatically.

SECTION 5: FIREFIGHTING MEASURES

5.1. Extinguishing media

<u>Extinguishing media:</u> Small fires: Extinguish with carbon dioxide or dry powder.

Larger fires: Extinguish with foam, carbon dioxide or dry powder. Do not use water jet as an extinguisher, as this will spread the fire.

Selection of respiratory protection for fire fighting: follow the general fire

5.2. Special hazards arising from the substance or mixture

Specific hazards: During fire, gases hazardous to health may be formed.

5.3. Advice for firefighters

Protective equipment for fire-

precautions indicated in the workplace.

fighters:

Product name: Omega 33 Page: 3/10

Supersedes date: 2016-02-22 Last revised date: 2019-08-16

Product No.: SDS-ID: GB-EN/7.0

SECTION 6: ACCIDENTAL RELEASE MEASURES

6.1. Personal precautions, protective equipment and emergency procedures

<u>Personal precautions:</u> Avoid contact with skin and eyes. Follow precautions for safe handling described

in this safety data sheet.

6.2. Environmental precautions

Environmental Do not discharge into drains, water courses or onto the ground.

precautions:

6.3. Methods and material for containment and cleaning up

Methods for cleaning up: Absorb spillage with oil-absorbing material. Clean contaminated area with oil-

removing material.

6.4. Reference to other sections

<u>References:</u> For personal protection, see section 8.

SECTION 7: HANDLING AND STORAGE

7.1. Precautions for safe handling

Safe handling advice: Observe good chemical hygiene practices. Avoid prolonged and repeated contact

with grease, particularly used grease. Always remove grease with soap and

water or skin cleaning agent, never use organic solvents.

<u>Technical measures:</u> Work practice should minimise contact.

<u>Technical precautions:</u> When working with heated grease, mechanical ventilation may be required.

7.2. Conditions for safe storage, including any incompatibilities

<u>Technical measures for safe</u> No special precautions.

storage:

<u>Storage conditions:</u> Store in tightly closed original container.

7.3. Specific end use(s)

Specific use(s): Lubricant.

Product name:Omega 33Page:4/10Supersedes date:2016-02-22Last revised date:2019-08-16Product No.:SDS-ID:GB-EN/7.0

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1. Control parameters

This/these substance(s) is/are subject to an Occupational Exposure Limit and may present an inhalation risk if present as dust or fume. This is not relevant to the current physical state of the product, which is not in a respirable form.

Occupational exposure limits:

CAS-No.:	Chemical name:	As:	Exposure limits:	Type:	Notes:	References:
-	Carbon black	-	3.5 mg/m3	TWA	-	EH40
		-	7 mg/m3	STEL	15min	
-	Molybdenum insoluble compounds	Мо	10 mg/m3	TWA	-	EH40
		-	20 mg/m3	STEL	15min	

Notes: EH40: EH40/2005.

8.2. Exposure controls

Engineering measures: Provide adequate ventilation. When working with heated grease, mechanical

ventilation may be required. Provide access to washing facilities incl. soap,

skin cleanser and fatty cream.

<u>Personal protection:</u> Personal protection equipment should be chosen according to the CEN

standards and in discussion with the supplier of the personal protective

equipment.

Respiratory equipment: In case of inadequate ventilation use suitable respirator. Use respiratory

equipment with particle filter, type P2.

Hand protection: Risk of contact: Wear protective gloves. The most suitable glove must be

chosen in consultation with the gloves supplier, who can inform about the

breakthrough time of the glove material.

Eye protection: Risk of contact: Wear goggles/face shield.

Skin protection: Wear apron or protective clothing in case of contact.

<u>Hygiene measures:</u> Wash hands after handling. Change contaminated clothing.

Environmental Exposure

Controls:

Not available.

Product name: Omega 33 Page: 5/10

Supersedes date: 2016-02-22 Last revised date: 2019-08-16

Product No.: SDS-ID: GB-EN/7.0

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

9.1. Information on basic physical and chemical properties

<u>Appearance:</u> Grease.

<u>Colour:</u> Black.

Odour: Almost odourless.
 Odour threshold: Not available.
 pH: Not available.
 Melting point / freezing point: > 180 °C

Boiling point: Not available.

Flash point: > 240 °C

Evaporation rate:
Flammability (solid, gas):
Not available.
Explosive limits
Not available.
Vapour pressure:
Not available.
Vapour density:
Not available.

Relative density: ~0.9

Solubility: Insoluble in water.

Partition coefficient (n-

octanol/water):

Not available.

Auto-ignition Not available.

temperature (°C):

<u>Decomposition</u> Not available.

temperature (°C):

<u>Viscosity:</u> Not available.

<u>Explosive properties:</u> Not available.

<u>Oxidising properties:</u> Not available.

9.2. Other information

Other data: Not available.

Product name: Omega 33 Page: 6/10

Supersedes date: 2016-02-22 Last revised date: 2019-08-16

Product No.: SDS-ID: GB-EN/7.0

SECTION 10: STABILITY AND REACTIVITY

10.1. Reactivity

Reactivity: Not reactive.

10.2. Chemical stability

<u>Stability:</u> Stable under normal temperature conditions.

10.3. Possibility of hazardous reactions

10.4. Conditions to avoid

<u>Conditions to avoid</u> Heat, sparks, flames.

10.5. Incompatible materials

<u>Incompatible materials:</u> Strong oxidising substances.

10.6. Hazardous decomposition products

<u>Hazardous decomposition</u> None known.

products:

Product name: Omega 33 Page: 7/10

Supersedes date: 2016-02-22 Last revised date: 2019-08-16

Product No.: SDS-ID: GB-EN/7.0

SECTION 11: TOXICOLOGICAL INFORMATION

11.1. Information on toxicological effects

Acute Toxicity (Oral):

Based on available data, the classification criteria are not met.

Acute Toxicity (Dermal):

Based on available data, the classification criteria are not met.

Acute Toxicity (Inhalation): Based on available data, the classification criteria are not met.

Skin Corrosion/Irritation: Based on available data, the classification criteria are not met.

 $\underline{Serious\ eye\ damage/irritation:}\ Based\ on\ available\ data,\ the\ classification\ criteria\ are\ not\ met.$

Respiratory or skin

Based on available data, the classification criteria are not met.

Based on available data, the classification criteria are not met.

sensitisation:

Aspiration hazard:

Germ cell mutagenicity:

Carcinogenicity:

Based on available data, the classification criteria are not met.

Reproductive Toxicity:

Based on available data, the classification criteria are not met.

Based on available data, the classification criteria are not met.

Based on available data, the classification criteria are not met.

Based on available data, the classification criteria are not met.

Based on available data, the classification criteria are not met.

Inhalation: Inhalation of oil mist or vapours formed during heating of the product will irritate

the respiratory system and provoke coughing.

Skin contact: Degreasing. Prolonged or repeated contact with skin may cause redness, itching,

irritation and eczema/chapping. The product contains a small amount of sensitising substance which may provoke an allergic reaction among sensitive

individuals.

<u>Eye contact:</u> Direct contact may irritate.

<u>Ingestion:</u> May irritate and cause malaise.

Specific effects: Prolonged or repeated contact with used grease may cause serious skin

diseases, such as dermatitis. The harmful effects may increase in used grease.

SECTION 12: ECOLOGICAL INFORMATION

12.1. Toxicity

<u>Ecotoxicity:</u> Greases are generally hazardous to the environment.

12.2. Persistence and degradability

<u>Degradability:</u> The product is expected to be slowly biodegradable.

12.3. Bioaccumulative potential

Bioaccumulative potential: No data available on bioaccumulation.

12.4. Mobility in soil

Mobility: No data available.

12.5. Results of PBT and vPvB assessment

<u>PBT/vPvB:</u> This product does not contain any PBT or vPvB substances.

12.6. Other adverse effects

Other adverse effects: None known.

Product name:Omega 33Page:8/10Supersedes date:2016-02-22Last revised date:2019-08-16Product No.:SDS-ID:GB-EN/7.0

SECTION 13: DISPOSAL CONSIDERATIONS

13.1. Waste treatment methods

Dispose of waste and residues in accordance with local authority requirements. Waste is classified as hazardous waste.

Waste from residues: EWC-code: 20 01 26

SECTION 14: TRANSPORT INFORMATION

The product is not covered by international regulation on the transport of dangerous goods (IMDG, IATA, ADR/RID).

14.1. UN number

UN-No:

14.2. UN proper shipping name

Proper Shipping Name: -

14.3. Transport hazard class(es)

<u>Class:</u> -

14.4. Packing group

<u>PG:</u> -

14.5. Environmental hazards

Marine pollutant:

Environmentally Hazardous

substance:

14.6. Special precautions for user

Special precautions: None known.

14.7. Transport in bulk according to Annex II of MARPOL and the IBC Code

<u>Transport in bulk:</u> Not relevant.

Product name: Omega 33 Page: 9/10 Supersedes date: 2016-02-22 Last revised date: 2019-08-16

Product No.: SDS-ID: GB-EN/7.0

SECTION 15: REGULATORY INFORMATION

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

National regulation: Statutory Instruments 2008 No. 2852 - The REACH Enforcement Regulations

2008.

Regulation (EC) No 1272/2008 of the European Parliament and of the Council of 16 December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending December (EC) No 1007/2004 with amendments

amending Regulation (EC) No 1907/2006 with amendments.

The Control of Substances Hazardous to Health Regulations 2002 (S.I 2002 No.

2677) with amendments.

EH40/2005, Workplace exposure limits 2005, with amendments.

The List of Wastes (England) (Amendment) Regulations 2005. (SI 2005 No. 895).

15.2. Chemical Safety Assessment

<u>CSA status:</u> No chemical safety assessment has been carried out.

 Product name:
 Omega 33
 Page:
 10/10

 Supersedes date:
 2016-02-22
 Last revised date:
 2019-08-16

 Product No.:
 SDS-ID:
 GB-EN/7.0

SECTION 16: OTHER INFORMATION

The user must be instructed in the proper work procedure and be familiar with the contents of these instructions.

The following sections contain revisions or new statements: 2, 8, 12, 14, 15, 16.

Omega Manufacturing Division 13th floor, Unit B, PAX Tower, 609 Eonju-ro, Gangnam-Gu, Seoul, Korea 06108

Tel: +82-2-2088-3560 Fax: +82-2-513-3567

Web site: www.magnagroup.com

The Omega Trade Mark is the property of ITW, Inc., and is used under license by ITW PP & F Korea Limited.

Abbreviations and acronyms

<u>used in the safety data sheet:</u> PBT = Persistent, Bioaccumulative and Toxic.

vPvB = very Persistent and very Bioaccumulative.

Additional information: Classification according to Regulation (EC) No. 1272/2008: Calculation method.

Wording of H-statements:

H315 Causes skin irritation.

H317 May cause an allergic skin reaction.

H319 Causes serious eye irritation.

H411 Toxic to aquatic life with long lasting effects.

The information on this data sheet represents our current data and is reliable provided that the product is used under the prescribed conditions and in accordance with the application specified on the packaging and/or in the technical guidance literature. Any other use of the product which involves using the product in combination with any other product or any other process is the responsibility of the user.

Made by DHI - Environment and Toxicology, Agern Allé 5, DK-2970 Hørsholm, Denmark. www.dhigroup.com.