

Product name: Omega 95 Page: 1/8
Revision Date: Print date: 2012-03-09

Product No.: SDS-ID: GB-EN/1.0

# SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1. Product identifier

<u>Product name:</u> Omega 95 Container size: Not available.

1.2. Relevant identified uses of the substance or mixture and uses advised against

Application: Grease.

1.3. Details of the supplier of the safety data sheet

Supplier: EU importer:

.

<u>Manufacturer</u> Ωmega Manufacturing Division

1801, Guardian House 32 Oi Kwan Road Wanchai, Hong Kong Tel:(852) 2577 5187 Fax:(852) 2577 3190 magna@magnagroup.com www.magnagroup.com

Responsible for safety data

sheet authoring:

SDS\_info@dhigroup.com

# 1.4. Emergency telephone number

# **SECTION 2: HAZARDS IDENTIFICATION**

# 2.1. Classification of the substance or mixture

The product is not classified.

<u>Human health:</u> Prolonged or repeated contact with skin may cause redness, itching, irritation and

eczema/chapping. The harmful effects may increase in used grease.

Environment: The product contains a substance which is toxic to aquatic organisms and which

may cause long term adverse effects in the aquatic environment. Greases are

generally hazardous to the environment.

2.2. Label elements

Based on information from the manufacturer regarding the chemical composition,

the product is not liable to classification, but the following labelling must be

applied:

Safety data sheet available for professional user on request.

2.3. Other hazards

PBT/vPvB: Not relevant.

Product name: Omega 95 Page: 2/8
Revision Date: Print date: 2012-03-09

Product No.: SDS-ID: GB-EN/1.0

#### **SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS**

The product contains: mineral oil and additives .

67/548/EEC:

<u>%:</u>	CAS-No.:	EC No.:	REACH Reg. No:	Chemical name:	Hazard classification:	Notes:
1-5	61789-86-4	263-093-9	-	Sulfonic acids, petroleum, calcium salts	Xi;R36	
1-5	26264-06-2	247-557-8	-	Calcium dodecylbenzenesulphonate	Xi;R38-41	
1-5	68584-23-6	271-529-4	-	Benzenesulfonic acid, C10-16 -alkyl derivs., calcium salts	Xi;R36	
1-5	36878-20-3	253-249-4	-	Bis(nonylphenyl)amine	R53	

#### GHS/CLP:

<u>%:</u>	CAS-No.:	EC No.:	REACH Reg. No:	Chemical name:	Hazard classification:	Notes:
1-5	61789-86-4	263-093-9	-	Sulfonic acids, petroleum, calcium salts	Eye Irrit. 2;H319	
1-5	26264-06-2	247-557-8	-	Calcium dodecylbenzenesulphonate	Skin Irrit. 2;H315 Eye Dam. 1;H318	
1-5	68584-23-6	271-529-4	-	Benzenesulfonic acid, C10-16 -alkyl derivs., calcium salts	Eye Irrit. 2;H319	
1-5	36878-20-3	253-249-4	-	Bis(nonylphenyl)amine	Aquatic Chronic 4;H413	

References: The full text for all R-phrases and hazard statements are displayed in section 16.

#### **SECTION 4: FIRST AID MEASURES**

#### 4.1. Description of first aid measures

Inhalation: Move into fresh air and keep at rest. In case of persistent throat irritation or

coughing: Seek medical attention and bring these instructions.

Skin contact: Remove contaminated clothing immediately and wash skin with soap and water.

In case of rashes, wounds or other skin disorders: Seek medical attention and

bring along these instructions.

Eye contact: Immediately flush with plenty of water for up to 15 minutes. Remove any contact

lenses and open eyelids widely. If irritation persists: Seek medical attention and

bring along these instructions.

Immediately rinse mouth and drink plenty of water. Keep person under

observation. If person becomes uncomfortable seek hospital and bring these

instructions.

#### 4.2. Most important symptoms and effects, both acute and delayed

Symptoms/effects: See section 11 for more detailed information on health effects and symptoms.

# 4.3. Indication of any immediate medical attention and special treatment needed

Medical attention/treatments: Not known.

Product name: Omega 95 Page: 3/8
Revision Date: Print date: 2012-03-09

Product No.: SDS-ID: GB-EN/1.0

#### **SECTION 5: FIREFIGHTING MEASURES**

5.1. Extinguishing media

Extinguishing media: Small fires: Extinguish with carbon dioxide or dry powder.

Larger fires: Extinguish with foam, carbon dioxide or dry powder.

5.2. Special hazards arising from the substance or mixture

Specific hazards: During fire, gases hazardous to health may be formed.

5.3. Advice for firefighters

<u>Protective equipment for</u> Selection of respiratory protection for fire fighting: follow the general fire

<u>fire-fighters:</u> precautions indicated in the workplace.

#### **SECTION 6: ACCIDENTAL RELEASE MEASURES**

#### 6.1. Personal precautions, protective equipment and emergency procedures

<u>Personal precautions:</u> Avoid contact with skin and eyes. Follow precautions for safe handling described

in this safety data sheet.

6.2. Environmental precautions

Environmental Do not discharge into drains, water courses or onto the ground.

precautions:

6.3. Methods and material for containment and cleaning up

Methods for cleaning up: Absorb spillage with oil-absorbing material. Clean contaminated area with

oil-removing material.

6.4. Reference to other sections

References: For personal protection, see section 8.

For waste disposal, see section 13.

# **SECTION 7: HANDLING AND STORAGE**

### 7.1. Precautions for safe handling

<u>Safe handling advice:</u> Observe good chemical hygiene practices. Avoid prolonged and repeated contact

with grease, particularly used grease. Always remove grease with soap and water

or skin cleaning agent, never use organic solvents.

<u>Technical measures:</u> Work practice should minimise contact.

<u>Technical precautions:</u> When working with heated grease, mechanical ventilation may be required.

7.2. Conditions for safe storage, including any incompatibilities

<u>Technical measures for safe</u> No special precautions.

storage:

<u>Storage conditions:</u> Store in tightly closed original container.

7.3. Specific end use(s)

Specific use(s): Not relevant.

Product name: Omega 95 Page: 4/8
Revision Date: Print date: 2012-03-09

Product No.: SDS-ID: GB-EN/1.0

#### SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

#### 8.1. Control parameters

No occupational exposure limit assigned.

8.2. Exposure controls

<u>Engineering measures:</u> Provide adequate ventilation. When working with heated grease, mechanical

ventilation may be required. Provide access to washing facilities incl. soap, skin

cleanser and fatty cream.

<u>Personal protection:</u> Personal protection equipment should be chosen according to the CEN

standards and in discussion with the supplier of the personal protective

equipment.

Respiratory equipment: In case of inadequate ventilation use suitable respirator. Use respiratory

equipment with particle filter, type P2.

Hand protection: Risk of contact: Wear protective gloves. Nitrile gloves are recommended. Other

types of gloves can be recommended by the glove supplier.

<u>Eye protection:</u> Risk of contact: Wear goggles/face shield.

<u>Hygiene measures:</u> Wash hands after handling.

Environmental Exposure

0 - -- t--- l - -

Controls:

Not available.

#### **SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES**

#### 9.1. Information on basic physical and chemical properties

Appearance: Paste.

Colour: Tan.

Odour: Mild. Hydrocarbon.

pH: not relevant

Melting point: not available

Boiling point: not available

Flash point: > 180 °C

Explosion limits: not available

Vapour pressure: not available
Relative density: not available

Solubility: insoluble in water

<u>Decomposition</u> not available

temperature (°C):

9.2. Other information

Other data: Not relevant.

Product name: Omega 95 Page: 5/8

Revision Date: Print date: 2012-03-09

Product No.: SDS-ID: GB-EN/1.0

#### **SECTION 10: STABILITY AND REACTIVITY**

10.1. Reactivity

Reactivity: None known.

10.2. Chemical stability

Stability: Stable under normal temperature conditions.

10.3. Possibility of hazardous reactions

<u>Hazardous Reactions:</u> None known.

10.4. Conditions to avoid

Conditions/materials to avoid: Water, moisture.

10.5. Incompatible materials

<u>Incompatible materials:</u> Strong oxidising substances.

10.6. Hazardous decomposition products

<u>Hazardous decomposition</u> None in particular.

products:

#### **SECTION 11: TOXICOLOGICAL INFORMATION**

#### 11.1. Information on toxicological effects

The harmful effects may increase in used grease.

<u>Inhalation:</u> Inhalation of oil mist or vapours formed during heating of the product will irritate

the respiratory system and provoke coughing.

Skin contact: Degreasing. Prolonged or repeated contact with skin may cause redness, itching,

irritation and eczema/chapping.

Eye contact: Direct contact may irritate.

<u>Ingestion:</u> May irritate and cause malaise.

Specific effects: Prolonged or repeated contact with used grease may cause serious skin

diseases, such as dermatitis.

Product name: Omega 95 Page: 6/8

Revision Date: Print date: 2012-03-09

Product No.: SDS-ID: GB-EN/1.0

# **SECTION 12: ECOLOGICAL INFORMATION**

12.1. Toxicity

Ecotoxicity: The product contains a substance which may cause long term adverse effects in

the aquatic environment. Greases are generally hazardous to the environment.

12.2. Persistence and degradability

<u>Degradability:</u> The product is expected to be slowly biodegradable.

12.3. Bioaccumulative potential

Bioaccumulative potential: No data available on bioaccumulation.

12.4. Mobility in soil

Mobility: No data available.

12.5. Results of PBT and vPvB assessment

PBT/vPvB: Not relevant.

12.6. Other adverse effects

Other adverse effects: None known.

#### **SECTION 13: DISPOSAL CONSIDERATIONS**

#### 13.1. Waste treatment methods

Dispose of waste and residues in accordance with local authority requirements. Waste is classified as hazardous waste.

Waste from residues: EWC-code: 20 01 26

 Product name:
 Omega 95
 Page:
 7/8

 Revision Date:
 Print date:
 2012-03-09

 Product No.:
 SDS-ID:
 GB-EN/1.0

#### **SECTION 14: TRANSPORT INFORMATION**

The product is not covered by international regulation on the transport of dangerous goods (IMDG, IATA, ADR/RID).

#### 14.1. UN number

UN-No:

# 14.2. UN proper shipping name

Proper Shipping Name: -

#### 14.3. Transport hazard class(es)

Class: -

#### 14.4. Packing group

PG: -

#### 14.5. Environmental hazards

Marine pollutant: -

Environmentally Hazardous

substance:

#### 14.6. Special precautions for user

Special precautions: None known.

#### 14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

<u>Transport in bulk:</u> Not relevant.

#### **SECTION 15: REGULATORY INFORMATION**

#### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

National regulation: Statutory Instruments 2008 No. 2852 - The REACH Enforcement Regulations

2008.

Regulation (EC) No 1272/2008 of the European Parliament and of the Council of 16 December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and

amending Regulation (EC) No 1907/2006 with amendments.

The Control of Substances Hazardous to Health Regulations 2002 (S.I 2002 No.

2677) with amendments.

The Chemicals (Hazard Information and Packaging for Supply) Regulations 2009

(S.I 2009 No. 716).

The List of Wastes (England) (Amendment) Regulations 2005. (SI 2005 No. 895).

#### 15.2. Chemical Safety Assessment

CSA status: Not relevant.

 Product name:
 Omega 95
 Page:
 8/8

 Revision Date:
 Print date:
 2012-03-09

 Product No.:
 SDS-ID:
 GB-EN/1.0

#### **SECTION 16: OTHER INFORMATION**

The user must be instructed in the proper work procedure and be familiar with the contents of these instructions.

Omega Manufacturing Division 1801, Guardian House, 32 Oi Kwan Road

Wanchai, Hong Kong Tel: (852) 2577 5187 Fax: (852) 2577 3190

Web site: www.magnagroup.com

The Omega Trade Mark is the property of ITW, Inc., and is used under licence by Magna Industrial Co. Limited.

#### Wording of

#### R-phrases/H-statements:

R36 Irritating to eyes.
R38 Irritating to skin.

R41 Risk of serious damage to eyes.

R53 May cause long-term adverse effects in the aquatic environment.

H315 Causes skin irritation.

H318 Causes serious eye damage.
H319 Causes serious eye irritation.

H413 May cause long lasting harmful effects to aquatic life.

The information on this data sheet represents our current data and is reliable provided that the product is used under the prescribed conditions and in accordance with the application specified on the packaging and/or in the technical guidance literature. Any other use of the product which involves using the product in combination with any other product or any other process is the responsibility of the user.

Made by DHI - Environment and Toxicology, Agern Allé 5, DK-2970 Hørsholm, Denmark. www.dhigroup.com.